

PRODUCT DATA SHEET



Application Papers

issued: 11/04/2010

Avery® Application Paper 300

Description:

Carrier : synthetic paper, white
Adhesive : synthetic rubber

Features:

- Low tack adhesive
- Good ageing properties and UV resistance
- Semi-transparent carrier
- Excellent water resistance

Recommendations for use:

- Developed for large signs or graphics where easy removal of application tape is required
- Suitable for wet application.

Special note :

- Recommended for Avery 600HP and Avery 1200 Banner Film.

Avery® Application Paper 330

Description:

Carrier : saturated paper, white
Adhesive : synthetic rubber

Features:

- Medium tack adhesive
- Good ageing properties and UV resistance
- Semi-transparent carrier
- Excellent water resistance

Recommendations for use:

- Specially developed for large signs or graphics where easy removal of application tape is required
- Suitable for wet application.

Special note :

- Recommended for Avery SignMask and printed Avery 900 Container Film series



www.averygraphics.com

Graphics Division
Rijndijk 86, P.O. Box 118
2394 ZG Hazerswoude – The Netherlands
Tel +31 71 3421500 – Fax +31 71 3421538

Avery® Application Paper 331

Description:

Carrier : saturated paper, white
Adhesive : synthetic rubber

Features:

- Medium tack adhesive
- Good ageing properties and UV resistance
- Semi-transparent carrier
- Reduced edge lift

Recommendations for use:

- Specially developed for signs or graphics with larger areas of exposed liner.
- Improved lay-flatness

Special note :

- Recommended for Avery 500 Event Film and Avery 1200 Banner Film.

Application Paper

Avery® Application Paper 360

Description:

Carrier : saturated paper, white
Adhesive : synthetic rubber

Features:

- High tack adhesive
- Semi-transparent carrier
- Improved lay-flatness
- High dimensional stability
- Excellent water resistance
- No adhesive residues after removal

Recommendations for use:

- Developed for transfer of large logos, signs or graphics
- The 'workhorse' for short and medium life product range
- Suitable for wet applications

Special note :

- Recommended for Avery 1200 Banner Film, Avery SignMask and Avery 2200 SignFlex

Avery® Application Paper 461

Description:

Carrier : special impregnated paper, white
Adhesive : synthetic rubber

Features:

- High tack adhesive
- Special high tensile impregnated paper
- Superior 'stick-to-liner' properties
- Higher level of paper elongation giving improve application performance



www.averygraphics.com

Graphics Division
Rijndijk 86, P.O. Box 118
2394 ZG Hazerswoude – The Netherlands
Tel +31 71 3421500 – Fax +31 71 3421538

- Excellent lay-flatness
- Improved adhesion on window graphic films

Recommendations for use:

- Recommended for the application and transfer of Avery 900 SC, Avery 800 PC, Avery 5500 QM TF and all Avery Window Films.
- Recommended as a general purpose tape for screen printed films

Avery® Digital Protection 400

Description:

Carrier : premium impregnated paper, white
Adhesive : synthetic rubber

Features:

- Medium tack adhesive
- Special high tensile impregnated paper.
- Higher level of paper elongation giving improved application performance
- Designed for use over UV screen printed graphics and digitally printed graphics
- Excellent lay-flatness

Recommendations for use:

- Recommended for the application and transfer of UV screen printed graphics and digitally printed graphics

Technical Information

- Additional information can be found in technical bulletin 3.13 : Application recommendations for Avery Application Paper and Avery Application Film



